

4th Lecture – Identification of computer system requirements

Agenda

- ✓ Requirement engineering
- ✓ Classes of computer system requirements
- ✓ Non-functional requirements
- ✓ Techniques for requirement identification
- ✓ Quality features of the requirements

- ✓ UML use case diagram
- ✓ Use case description using a template




The background

- Poor quality requirements is consistently **ranked first** in the hierarchy of causes leading to the failure of software projects.
- One explanation would be that development teams **allocate too little time** to understanding the *real problems of business, user needs or nature of the environment* in which the system will run.
- Also, developers are trying to provide technical *solutions as quickly as possible*, but starting from an insufficient understanding of the requirements of the problem.

Requirements engineering

- To be sure that a computer system correctly solves a specific problem, you first need to **understand correctly the problem to be solved**. This requires the discovery, understanding, specifying and analyze of the following components:
 - **WHAT** problem should be solved;
 - **WHY** the problem needs to be solved;
 - **WHO** is involved and is going to be responsible with this problem solving.
- These three components constitute the foundation of ***Computer System Requirement Engineering***

Requirements engineering



Core activities for building a requirement model

Requirements engineering

- Often, difficulties in requirement modeling and analysis come from insufficient understanding of the **business logic part** of the application.
- *Business logic* is the defining element for the modeling and automation process. It includes both **business rules** and the **business workflow** (processes) that describes the way of transferring documents and data from one participant (individual or software system) to another.
- In developing information systems, business logic aims at:
 - *Modeling* real world **business objects** (such as inventories, customers, products);
 - Managing **business object storage solutions** (business objects mapping into the database tables);
 - Describing *how business objects interact with each other*.

Requirements engineering

- In developing information systems, a **requirement** defines **an objective that it must be fulfilled**, in response to the needs of its users.
- It **is part of the general purpose** for which the computer system is developed.
- The requirements also dictates **the way the system should respond to user interaction**.
- Generally, developers should consider the following aspects related to the requirement system :
 - use of **technical language**: requirements must always be specified using the **user language**. The **jargon** of the analyzed field can also be listed and analyzed;
 - **relationship with the business goals**: each requirement must be clearly linked to business objectives.

Types of information systems requirements

- Requirements engineering process aims to collect, develop, correct and adjust **large volumes of specifications** which **differ** in terms of **purpose** and **mode of expression**. Differentiations can be made between:
 - *Descriptive requirements*;
 - *Prescriptive requirements*.
- *Descriptive requirements* display properties the system should have, regardless of how it will work. Such properties are generated usually by laws of nature or physical constraints.
Examples of descriptive specifications:
 - Same book can not be borrowed by two subscribers simultaneously.
 - If a hotel room is under renovation, then it can not be occupied.

Types of information systems requirements

- *Prescriptive requirements* display some properties the system should have, that will be or will be not met by the system, depending on the way the system will work. Examples of prescriptive specifications:
 - A subscriber cannot borrow more than three book at the same time
 - Goods have to be delivered within the time interval specified by the buyer.
 - Distinction between descriptive and prescriptive requirements is very important in the context of requirements engineering, as **we can negotiate, change or find alternatives to prescriptive specifications, while for the descriptive specifications these things are not possible.**


Types of information systems requirements

- Considering their functionalities, requirements can be:
 - *functional*;
 - *non-functional*.
- **Functional requirements** define the functions of a computer system or of its components, through a set of inputs, behavior and a set of outputs. This category includes computations, technical details, information regarding data processing and manipulation, but also functionalities showing, for example, the way a use case has to be built.
-

Types of information systems requirements

- Non-functional requirements capture criteria that can be used to analyze aspects of the system operation and not its behavior.
- These impose constraints on the functional requirements at design or implementation level (e.g. performance, security or reliability requirements)
- Non-functional requirements are usually referred as qualities of the system, but also as quality attributes, quality objectives, quality features or constraints.

Non-functional requirements



Types of non-functional techniques

Non-functional requirements

A. **Quality requirements** define issues related to "how well" the system should operate. These include specifications related to:

- **Safety requirements** are quality requirements for preventing occurrence of accidents or environmental degradation.
- **Security requirements** describe system safeguards against undesirable behavior.
 - *Confidentiality requirements* indicate that certain information can not be disclosed to unauthorized parties.
 - *Integrity requirements* indicate that some information can be changed if this was done in a fair and authorized manner.
 - *Availability requirements* indicate that certain requirements and resources can be used by authorized persons when necessary.

Non-functional requirements

A. Quality requirements (continued)

- **Reliability requirements** constraint the computer system to work as expected and desired for long periods of time. Aside from exceptional circumstances, the system must provide services in a fair and robust manner.
- **Performance requirements** put conditions on the system operation manner, for example the maximum time required for executing an operation.
- **Interface requirements** indicate the way the computer system interacts with the environment, the users, and with other systems.

Non-functional requirements

- B. **Compliance requirements** impose the necessary conditions so that the system operates **in accordance with** national laws, international regulations, social norms, political and cultural constraints, standards etc.
- C. **Architectural requirements** impose **structural** constraints on the computer system, so that it can work properly in the environment where it will be implemented. It provides developers with guidance on the **suitable type of architecture** for the system.
- D. **Development requirements** are non-functional requirements that impose **the way the computer system should be developed**, and not the way the system should meet the functional requirements (time limitations, resource availability).

Techniques for requirement identification

1. Interviews

- Beneficiary interviewing is **the most popular method** for requirement identification. Its success depends on the **involvement of all stakeholders**, including managers, stockholders, employees, etc. that will further be called **general users**.
- Normally, an interview will focus on activities of the user within the organization, the way the system implementation **will influence his work** and **the issues** that he has identified in the actual processes that take place in the organization. The interview can reveal **new requirements** that were not originally identified as part of the project objectives, but also **conflicting requirements**.

Techniques for requirement identification

1. Interviews - continued

- The identification of conflicting requirements may be confusing, as it does not seem normal that distinct persons working in the same company have different visions on the same analyzed aspect.



The analyst may ask himself the following pertinent question : *"How can a business be competitive and profitable if there is no consensus, at least within it, on how it works?"*



A possible answer would be: *"...the detail level necessary for building a computer system is higher than the detail level necessary for successfully running a business."*

Techniques for requirement identification

2. Join Requirement Planning Sessions

- **Join Requirement Planning** - JRP can be equivalent with conducting interviews of all users (or at least a substantial part thereof) at the same time and in the same room.
- All people that shape the direction of system development are **brought together in one place** to provide details about what the system should do.
- There should be present:
 - a **mediator** to moderate these sessions, but also
 - a **person to document user proposals**, using, for example, a video projector and a visual modeling software.

Techniques for requirement identification

3. Use cases

- Use cases describe **interactions** between users and computer system and show **what** users should do with the system by identifying the **important functions**.
- A use case specifies the sequence of **interactions between system and external actors** (such as persons, hardware devices or other software systems), including also **versions or extensions** of the main behavior of the system.
- Use cases can be **one of the first forms of representation of the requirements** of a computer system. For this reason, they are suitable for the early stages of the software development process. Analysts together with beneficiaries of the system will have to **examine and validate** every use case proposed.

Techniques for requirement identification

4. Social observation and analysis

- Observation based methods imply the existence of **an observer** that watches the system users and records information on the work they perform.
- Social observations can by **direct** observations, involving observer presence during activity performance or **indirect** observations, when user activity is watched through other means, such as a video recording.
- This method offers the advantage of the facilitating the collection of **quality data** and it is useful for analyzing **real processes and activities**. This way, **errors or omissions** coming from the beneficiary description of the workflow **can be avoided**.

Techniques for requirement identification

5. Prototyping

- A **prototype** is useful for **the end user** who will understand better what he wants or what is expected from the product. It is also useful for **developers** to test some techniques, developed algorithms, interfaces etc.
- There are two approaches:
 - **Testing/trial prototype** – it must be **fast**, if **not perfect**, it can be used to validate the interface, to customize the architecture to include requirements as well as possible, or to validate specific algorithms;
 - **Evolutionary prototype** – it develops the final product in order to be able to consider **all the quality features** of the final software product; Generally this prototype may not be fast, but can improve the model by ensuring **high quality of the software**.

Use case UML diagram

- Its role is to represent in graphical format the **functionalities** that have to be met by the computer system in the final stage.
- The model developed by use case diagrams and documents that briefly describe each use case is called **REQUIREMENTS MODEL**.
- Use case diagrams are made up of **actors** and **use cases**, on one side, and the **relationships** between them, on the other side.

Actors




- They are **persons** or **computer systems** that interact with the developed computer system.
- It is important to remember a person can play **several roles** and a role may be shared by many people. Graphical representation of actors in UML is a **stick man** with a text at the bottom that explain the role of actor.
- Actors can be identified by addressing the following questions :
 - WHO requests information from the system
 - WHO modifies information in the system
 - WHO interacts with the system
 - WHO is the interface with the system

Use cases

- It represents **sequences of transactions** that occur when dialing with the system and that are related in terms of behaviour
- A use case represents **a dialogue** between an actor and the computer system. The set of use cases represents all the ways the system can be used.
- Use cases **are goal oriented**: they represent ***what* the system shoud do, and not *how* to do it**. They are **technological neutral** and can be used in any process or application architecture.
- The graphic representation of the UML use case is **an oval**, with the name at the bottom.


Relationships between actors

- Are of the type **generalization / specialization** between an **abstract actor** and one or more specialized actors




Relationships between actors and use cases

- Simple association are used **to connect** an actor with a use case.
- It is a way of **communication** between the two.
- The communication can be unidirectional as well
- **Its navigability** (oriented arrow) suggests who is initiating communication. Generally, communication between actor and use case is **bidirectional**



Relationships between actors and use cases

- At this level **multiplicities are allowed**.
 - multiplicitatea mai mare decât unu la capătul:
- multiplicity greater than one at the end:
 - corresponding to the Use case \Rightarrow the actor is involved in several use cases of that type and can initiate use cases: in parallel (concurrently) at different points in time or mutually exclusive in time.
 - corresponding to the Actor \Rightarrow multiple instances of the actor are involved in initiating the use case and can perform simultaneous or successive actions.
 - UML has not standard notations for the above situations.




Relationships between use cases

- ☞ There cannot be simple associations between two use cases referring the same subject (system). Each of them describe a complete mode of using the system.

1. Generalization

- It is used when there are two or more UC who have in common behavior, structure and purpose.
- The behavior of the parent UC can be overridden.
- Only the differences between the two cases are specified in the specialized use case.





Powered By: Visual Paradigm Community Ed

Relationships between use cases

2. *Include*


- It aims to integrate an use case in another use case, the first becoming a logical part of that UC. The UC that includes another **is not complete**.
- It is used when:
 - there are common parts of behavior between use cases
 - to simplify large UC.
- It is equivalent to a subroutine call in programming.
- Denotes a mandatory behavior, not an optional one.
- There are no properties inherited from a UC to another.
- It avoids redundancy of identical behavior



Relationships between use cases

3. Extend

- It is used when a CU occurs only under **certain conditions** or it is **optional**.
- The extended UC is complete and independent from the one it expands.
- Extension occurs in one or more **extension points**
- You can **associate notes or constraints** to that relationship to illustrate the conditions in which the extended behavior must be executed.



Importance of use case diagrams

- All processes that have to be carried on by the system are found in the form of a use case. Processes are then described textually or by a sequence of steps. For graphical modeling of scenarios, **activity diagram** can be used.
- Once the system behavior has been so depicted, the use cases are further analyzed to identify **how objects interact** to model this behavior. **Sequence diagrams** and **communication diagrams** are used for modeling object interactions.
- Use case diagram is also used for testing whether the **system is consistent with the initial requirements**. It takes up all use cases to see if the system meets customer requirements.

Use case template

Use case element	Description
Code	It is a unique identifier of the use case.
State	The state of completion is, for example, draft, completed or approved
Scope	The system (subsystem) under design
Name	The use case name, short and suggestive. Typically the name is of the format <i>action + object</i>
Primary actor	The beneficiary actor that initiates the use case and follows a specific purpose
Description	Brief, free-text presentation of the use case
Preconditions	Any state the system must be in or conditions that must be met before the use case is started.
Postconditions	Any state the system must be in or conditions that must be met after the use case is completed successfully.
Trigger	An event or a sequence of events that initiate the use case.
Main course	The most common, successful path of interactions between the user and the system.
Alternate courses	Most significant alternatives and exceptions that may occur in the flow of events
Relationships	What are the relationships with other use cases (include or extend types)
Frequency of use	How often it is this functionality expected to be used
Business rules	What rules govern the use case; What privileges should actors have

Exemple of scenario

The project goal is to develop a software application for the **management of a hotel business unit**. In order to check in, a **customer** can request to reserve one or more rooms by e-mail or telephone. For this, he provides the **receptionist** with information on the period of accommodation and type of rooms required. Customers will get **discounts** if they reserve at least 3 rooms or if the period of accommodation exceeds 5 days. The receptionist checks availability and notifies the client of this and the estimated cost of accommodation. If there are no rooms available as requested, the receptionist can provide alternatives to the customer. The client may request a discount (additional or not) and the receptionist will decide the feasibility discount, assisted mandatory by the hotel manager. If the client agrees with the proposed price, they proceed to the reservation. For new customers, the receptionist asks **identification data**, which he introduces in the application.

Once at the hotel and if he has made a prior booking, the customer will provide his identification and / or booking number and the **check in** is finalized. If there is no reservation, the availability for the required period will be checked. When there is such a room, **accommodation** is made. At the end of the stay, the receptionist prepares **a list of all the services** used by the customer and their price. The list must be validated by the customer, then the **final invoice** is drawn up. The invoice can be **paid** partially or fully by bank transfer, cash or using a credit card. Also, before leaving the hotel, the customer is asked to complete **a form to evaluate** the services provided by the hotel premises

General requirements for hotel accommodation activity

The project aims at developing a computer system for a hotel that would provide support for its activities.

The **core activity** of the hotel is providing **accommodation, catering services and other services** of commercial agents affiliated to the hotel.


The IT system should achieve: **booking rooms and customer registration, management of room occupancy, and other services** used by customers.

The arrangements for booking, customer registration and corresponding payments derive from the marketing and management policy of the hotel.

The **basic requirements** that should be accomplished are:

- Reducing the time to fill in the forms for reservation and registration by automating the process of updating availability and allocation of rooms;
- Monitoring staff involved in bookings, registrations, and various changes or cancellations.
- Reducing time spent making lists of rooms to be cleaned, lists of arrivals, lists of room status;
- Increased promptness in responding to customer about the availability of the accommodation requested for a specific period;
- Creating a secure and effective system that protects against overbooking.

Use case diagram - example



Use case element	Description
Code	CU01
State	Draft
Scope	Manage hotel accommodation activity
Name	Book rooms
Primary actor	Client
Description	It involves booking for one or more rooms
Preconditions	The receptionist is logged in the system
Postconditions	The booking was accomplished and the client receives booking confirmation.
Trigger	Client asks for booking one ore more rooms by email or by phone.
Main course	<ol style="list-style-type: none"> 1. The client provides the receptionist with information on the period of accommodation and type of rooms required 2. The receptionist checks room availability. 3. The receptionist notifies the client that there are available rooms. [A alternate course: There are not available rooms according to client requirements] 4. The receptionist informs the client of the estimated costs. [Extention point: CU07 Decide discount granting] 5. The client confirms booking period and agrees estimated cost. [B alternate course: the client doesn't agree the booking conditions] 6. The receptionist asks the customer identification data. [C alternate course: customer data are already in the system] 7. The receptionist enters customer data in the system. 8. The receptionist makes room booking . 9. The client receives the confirmation of booking.
Alternate courses	<p>A: 1. The receptionist provides booking alternatives to the client. 2. The client selects an alternative and the scenario ends.</p> <p>B: 1. the client does not confirm booking and the scenario ends.</p> <p>C: 1. Go to step 8.</p>
Relationships	Extended by CU07 Decide discount granting
Frequency of use	Very often
Business rules	When the client asks for discount, the receptionist can grant it only if manager agrees with it .

Exemples of non-functional requirements

- Quality requirements

- i. Safety

- The system should stop working if the outside temperature drops below 4 degrees C.
 - The system should stop working in case of fire.
 - The system should stop working in case of obvious attacks.

- ii. Security

- Data access **permissions** can only be changed by the **system administrator**.
 - All system data must be **copied** every 24 hours and backups must be stored in a safe place that is not in the same building as the system.
 - All external communications between data server and client must be **encrypted**.

- iii. Reliability

- The system must have an availability of 999/1000 or 99%. This is a requirement of reliability which implies that out of every 1,000 service requests, 999 must be met.

- iv. Performance

- The system will process at least X transactions per second.

Exemples of non-functional requirements

- **Compliance requirements**

- Legal and regulatory requirements: all changes to user data must be registered and stored at least 6 years.
- Licensing requirements:
 - “Update order” process will be licensed for 300 concurrent users.
 - PostalCode_Address file will be licensed for a year, starting each April.

- **Architectural requirements**

- Data persistence will be ensured by a relational database.
- This database will be Oracle 11g.
- The system will run 24 hours a day, 7 days a week..